



107

HARLEY-DAVIDSON[®] MOTORCYCLE
2018 EMEA SALES TOOL



A NEW ERA OF CRUISER STYLE AND PERFORMANCE

The 2018 line of eight all-new Softail® cruiser motorcycles – Fat Bob®, Fat Boy®, Street Bob®, Low Rider®, Softail Slim®, Deluxe, Breakout® and Heritage Classic models – represent the largest product-development effort in Harley-Davidson history. Each model is based on the solid foundation of a new frame, new suspension and the Milwaukee-Eight® powertrain. Together they are the most powerful, agile, and responsive cruisers ever produced by Harley-Davidson.

All 2018 Softail® models feature:

- Iconic Harley-Davidson Big Twin Look, Sound and Feel
- Ground-breaking styling
- Dynamic handling
- Improved power-to-weight ratio
- Dramatic new LED forward lighting
- New seats offering “tank-to-tank” comfort
- USB charging port

Plus:

ALL-NEW SOFTAIL® FRAME

- Stiffer, stronger and lighter than prior models for improved handling and weight capacity
- Engine is rigid-mounted in frame, for further stiffness

ALL-NEW MONO-SHOCK REAR SUSPENSION

- Retains classic “hard tail” styling of the Softail® platform
- Single coil-over shock links swing arm to frame and is hidden under the seat
- Improved damping performance, increased travel, more pre-load range improve comfort
- Easy pre-load adjustment on all models optimizes ride and handling
- External pre-load adjustment knob (on some models)

HIGH-PERFORMANCE DUAL BENDING VALVE FRONT SUSPENSION*

The damping performance of a racing-style cartridge fork

- Linear damping characteristics and reduced weight enhance comfort and handling performance

*Fat Bob® models feature Inverted Front Suspension

MILWAUKEE-EIGHT® ENGINE PERFORMANCE

Milwaukee-Eight® 107 engine powers Fat Bob®, Fat Boy®, Street Bob®, Low Rider®, Softail Slim®, Deluxe, Breakout® and Heritage Classic models. 0-60 mph it is 10% faster than the High Output Twin Cam 103™ engine.

Milwaukee-Eight® 114 engine powers Fat Bob® 114, Fat Boy® 114, Breakout® 114 and Heritage Classic 114 models. 0-60 mph it is 9% faster and 60-80 mph/5th gear it is 13% faster than the Milwaukee-Eight® 107 engine.

COUNTER-BALANCED AND RIGID MOUNTED

Dual counter-balancers cancel primary vibration so the Milwaukee-Eight® engine can be rigid-mounted in the frame.

- Allows the rider to feel more connected to the powertrain
- Enables a tight, clean engine installation in the frame for iconic style
- The rigid-mounted engine contributes to over-all chassis stiffness for enhanced handling performance

KEY MILWAUKEE-EIGHT FEATURES

- **Four-valve cylinder heads:** A 50% increase in intake/exhaust flow capacity compared to two-valve Twin Cam squeezes power per cubic inch of displacement
- **Dual spark plugs:** More complete combustion of the air/fuel charge maximizes power and efficiency
- **Precision Cooling:** Oil circulated around the exhaust valves reduces engine heat radiating to rider and passenger and help maintain peak performance in all conditions
- **Single camshaft:** Reduces mechanical noise so desired exhaust sound can dominate



2018 CVO™ – THE PINNACLE OF HARLEY-DAVIDSON® MOTORCYCLES

Luxuriously redesigned Custom Vehicle Operations™ (CVO™) offerings broaden the appeal of these super-premium factory custom motorcycles. Three models are offered for 2018 – the CVO™ Street Glide®, CVO™ Road Glide® and CVO™ Limited.

The CVO™ Mission is unchanged: Offer the most-discerning Harley-Davidson customer a premium custom experience that is backed by Harley-Davidson service and warranty.

All 2018 CVO™ models feature:

- Premium Paint and Graphics
- Maximum Factory Performance
- Exclusive Collections, Wheels and Accessories
- Factory Custom Detail

NEW STYLING DIRECTIONS

New paint schemes with more subtle design and rich colours

- Styling is more on-trend with current custom motorcycles
- A single paint scheme for each model with multiple paint and finish schemes
- Broader customer appeal; from core to outreach
- Add exclusivity to the entire line

NEW WIRELESS HEADSETS

Battery-powered headset paired with headset interface on the motorcycle

- Two headsets with CVO™ Limited
- One headset with CVO™ Street Glide® and CVO™ Road Glide®
- Interfaces with Boom!™ Box infotainment audio and prompts
- Enables communication with passenger
- Compatible with other systems to communicate with other riders
- Offers more features than aftermarket headsets

115TH ANNIVERSARY PAINT SET

Exclusive to CVO™ Limited model

NEW EXCLUSIVE CVO™ POWER – MILWAUKEE-EIGHT® 117

ONLY AVAILABLE ON CVO™ MODELS

- Orange colour band on lower rocker box identifies this exclusive engine
- The most displacement and power ever offered on a Harley-Davidson® model
- Retains all the great Milwaukee-Eight® engine benefits – four-valve heads, dual spark plugs, precision cooled, single cam, counter-balanced
- Screamin' Eagle® Stage IV Kit available for customers who desire even more performance



115TH ANNIVERSARY EDITIONS

Two Limited Edition 115th Anniversary paint schemes will be available on select 2018 models.

The divergent styles will appeal to a broader audience of customers and, to add exclusivity to each model, all paint sets will be serialized.



115TH ANNIVERSARY TWO-TONE

Available only on Tri-Glide®, Ultra Limited, Street Glide®, Fat Boy® 114, and Heritage Classic 114 models.

Featuring:

- Exclusive Legend Blue/Vivid Black two-tone paint scheme
- Triple pinstripe
- 115th Anniversary multi-metal tank cloisonné
 - Eagle holding the Bar and Shield in his talons
- Perforated seat with blue stitching and embossed "HDMC"
- 115th Anniversary script on console, timer cover and air cleaner
- Serialization on trim



115TH ANNIVERSARY DENIM

Available only on Street Glide® Special, Fat Boy® 114, Breakout® 114, and Forty-Eight® models.

Featuring:

- Exclusive Legend Blue Denim paint
- 115th Anniversary tattoo-inspired graphic
 - Eagle holding the Bar and Shield in his talons
 - Harley-Davidson script varies by model
- Perforated seat with blue stitching and embossed "HDMC"
- Serialization hand-applied at the factory

115TH ANNIVERSARY CVO™ LIMITED

CVO™ Anniversary package features:

- Exclusive Odyssey Blue Paint, inserts with hand-painted metal leaf effect, pinstripes and colour-matched inner fairing
- 115th Anniversary multi-metal tank cloisonné
 - Eagle holding the Bar and Shield in his talons
 - Scorched Chrome finish
- Blue stitching in diamond-quilted panel on the seat
- Serialized Scorched Chrome console insert
- Scorched Chrome finish on: lower rocker covers, timer cover, transmission cover badge, derby cover, inner fairing insert, air cleaner trim, horn cover insert
- Odyssey Blue luggage hinges and latches



Model shown in domestic configuration

2018 MODEL YEAR HIGHLIGHTS

Tons of new paint colours plus restyled versions of the Sportster® 1200 Custom, Street Glide® Special and Road Glide® Special models round out the changes to the Harley-Davidson® model offerings for 2018.

PAINT & GRAPHICS STORY

H-D® paint leadership continues with 28 new paint offerings from the factory this year including ten new solid colours, seven new two-tones, two new Hard Candy Custom™ colours, three new Anniversary colours and six CVO™ paint schemes.

- New monochromatic palette of pinstripe colours and designs to match the attitude and style of each bike
- New Hard Candy Custom™ graphics are low contrast in Gold with a tone-on-tone finish

Genuine Motor Accessories take it further with two new Limited paint sets for cruiser and touring bikes and 19 colour-matched accessories.

SPORTSTER® 1200 CUSTOM

The new look for the 1200 Custom is Chrome with Attitude. Its perfect blend of chrome and black shows off highlights, while creating a base canvas for customization.

New features include:

- Bold, fast graphics including a racing stripe and Harley-Davidson script on the tank
- More aggressive riding position with pull-back handlebar and mid-mounted controls
- More Black: black fork lowers, headlight visor, mirrors, turn signals, shocks and rims
- New Black oval air cleaner cover on the 1200 Evolution® engine

STREET GLIDE® SPECIAL ROAD GLIDE® SPECIAL

Classic H-D® Custom Hot Rod Bagger style combines with modern touring features in these 2018 boldly styled Custom Touring models. Both feature:

- Blacked-out Milwaukee-Eight® 107 engine
- New 19" Talon front wheel
- New 18" Rear Wheel
- Stretched saddlebags that accentuate the long and low profile
- Blacked-out front forks, handlebar, tank console and mufflers and exhaust shields give these models an aggressive, on-trend look
- Blacked-out finishes on details, from headlight nacelle to rear light bar



NOTE: Images depicted are EMEA configurations. Additional features for all motorcycles can be found in the individual model Product Value Sheets on h-dnet and podcasts available on HDU online.

10-POINT MOTORCYCLE WALK-AROUND

The 10-Point Motorcycle Walk-Around provides the structure to highlight key features and effectively present the benefits to your customer. Use it to create an exciting connection between the customer and the motorcycle.

STEP ONE: PRACTICE YOUR PRESENTATIONS USING F.A.B. STATEMENTS BELOW

Feature What it is

Advantage How it functions

Benefit What it will do for the customer


Benefits build value and inspire customers to take action.

STEP TWO: PREPARE AND PRACTICE FABS

- Highlight those *YOUR* dealership offers to enhance the customer experience
- Integrate these into your practice sessions and showroom presentations:
 - No Obligation Test Rides
 - Events, Seminars, Rides
 - VIP Service Scheduling
 - Full-Service Dealership
 - CXI Scores
 - Customer Testimonials

STEP THREE: TAILOR THE PRESENTATION TO CUSTOMER PRIORITIES AND PREFERENCES

- Learn about each customer's preferences related to Fit, Function, Style, and Performance throughout our sales process
- Highlight the features, advantages, and benefits that are most relevant and valuable to the customer
 - Reviewing all 10-Points would be overwhelming



* Additional resources, solutions, and support can be found on HDU Online and in the HDCX Operations Guide

COLOUR OPTIONS



Black Denim

Black Tempest

Vivid Black

Industrial Gray

Industrial Gray Denim



Sumatra Brown

Wicked Red

Olive Gold

Twisted Cherry

Electric Blue



Corona Yellow Pearl

Silver Fortune

Iron Red Denim

Bonneville Salt Pearl

Bonneville Salt Denim



Silver Fortune/
Black Tempest

Electric Blue/
Silver Fortune

Silver Fortune/
Sumatra Brown

Olive Gold/
Black Tempest

Wicked Red/
Twisted Cherry



Twisted Cherry/
Silver Fortune

Industrial Gray Denim/
Black Denim

CUSTOM COLOURS



Hard Candy
Shattered Flake



Hard Candy
Hot Rod Red Flake



Hard Candy
Chameleon Flake



HARLEY-DAVIDSON STREET® STORY

URBAN. AUTHENTIC. SOUL.

Harley-Davidson Street® models are designed for the next generation of global riders — urban dwellers looking to express their individuality and independence. The nimble chassis and dialed-in suspension are designed and built to tear up the city streets and the minimalist, blacked-out appearance offers the perfect blank canvas for customization. And with the lowest price point in the H-D® lineup, The Street™ family makes attaining a Harley-Davidson® motorcycle an easier reality for riders around the world.

2018 STREET™ LINEUP

Harley-Davidson Street® 750
Street Rod®

Competitive Comparison

HARLEY-DAVIDSON STREET®

DIMENSIONS

Overall Length.....	2215 mm
Overall Width.....	840 mm
Seat Height.....	720 mm
Ground Clearance.....	145 mm
Lean Angle (right/left).....	28.5°/28.5°
Wheelbase.....	1520 mm
Wheel Size Front.....	17-inch, 432 mm
Wheel Size Rear.....	15-inch, 381 mm
Fuel Capacity.....	13.1 L
Running Weight.....	233 kg
GVWR.....	431 kg

POWERTRAIN

Engine.....	Liquid-cooled, Revolution X™ V-Twin
Displacement.....	749 cc/46 cu. in.
Transmission.....	6-Speed constant mesh spur gear
Torque (EC 134/2014).....	59 Nm @ 4000 RPM
Fuel Economy (City/Hwy).....	4.6L/100 km (51 MPG)



HARLEY-DAVIDSON STREET® 750

XG750



Colour Options: Vivid Black, Black Denim, Wicked Red, Bonneville Salt Pearl;
Two-Tone: Vivid Black Deluxe, Wicked Red Deluxe, Bonneville Salt Pearl Deluxe

DIMENSIONS

Overall Length.....	2130 mm
Overall Width.....	870 mm
Seat Height	765 mm
Ground Clearance	205 mm
Lean Angle (right/left)	37.3°/40.2°
Wheelbase.....	1510 mm
Wheel Size Front.....	17-inch, 432 mm
Wheel Size Rear.....	17-inch, 432 mm
Fuel Capacity	13.2 L
Running Weight	238 kg
GVWR.....	431 kg

POWERTRAIN

Engine	High Output Revolution X™ V-Twin
Displacement.....	749 cc/46 cu. in.
Transmission.....	6-Speed constant mesh spur gear
Torque (EC 134/2014)	65 Nm @ 4000 RPM
Fuel Economy (City/Hwy)	4.3L/100 km (54 MPG)



STREET ROD®

XG750A



Colour Options: Vivid Black, Olive Gold, Red Iron Denim, Electric Blue, Bonneville Salt Denim

COMPETITIVE COMPARISON

Street™		Engine Displacement	Seat Height	Weight	Fuel Capacity	ABS Offered	Cruise Control Offered	Tyre & Wheel Size	Final Drive	Transmission
	Yamaha MT®-07	689 cc, Liquid-cooled, in-line Twin	805 mm	182 kg (wet)	14 L	Y	N	Front: 120/70ZR17 Rear: 180/55ZR17	O-ring chain	6-speed
	Indian® Scout® Sixty	999 cc, Liquid-cooled, V-Twin	643 mm	252 kg (wet)	12.5 L	N	N	Front: 130/90-16 72H Rear: 150/80-16 71H	Belt	5-Speed
	Ducati Monster 797	803 cc, Air-cooled, L-Twin	805 mm	193 kg (wet)	16.5 L	Y	N	Front: 120/70 ZR17 Rear: 120/70 ZR17	Chain	6-Speed
	2016 Triumph Street Twin	900 cc, Liquid-cooled, Parallel Twin	750 mm	198 kg (dry)	12 L	Y	N	Front: 100/90-18 Rear: 150/70-R17	X-ring chain	5-speed

*Based on information (about competitive models) that was publicly available at the time of this publication.

The wet weight of a motorcycle includes, but is not limited to fuel, engine oil, coolant, brake fluid and battery.

All seat heights are laden and all competitive specs are for 2017 models, unless noted.

SPORTSTER® STORY

AMERICAN LEGENDS. CLASSIC STYLE, AGILITY AND POWER.

Thriving on street-bred and track-based racing performance since being introduced in 1957, the nimble, fun-to-ride Sportster® family of motorcycles is an American legend. With its lightweight narrow profile, aggressive riding position, and a variety of styles from the Dark Custom look of the Iron 883™ to the race stripe graphic and new attitude of the 1200 Custom, the Sportster® motorcycle appeals to a wide variety of riders.

2018 SPORTSTER® LINEUP

SuperLow®

Iron 883™

NEW 1200 Custom

Roadster™

Forty-Eight® / 115th Anniversary Forty-Eight®

SuperLow® 1200T

Competitive Comparison

SPORTSTER®

DIMENSIONS

Overall Length	2225 mm
Overall Width	845 mm
Seat Height	705 mm
Ground Clearance	100 mm
Lean Angle (right/left)	24.7°/24.4°
Wheelbase	1500 mm
Wheel Size Front	18-inch, 457 mm
Wheel Size Rear	17-inch, 432 mm
Fuel Capacity	17 L
Running Weight	258 kg
GVWR	454 kg


POWERTRAIN

Engine	Air-cooled, Evolution®
Displacement	883 cc/53.9 cu. in.
Transmission	5-speed
Torque (EC 134/2014)	69 Nm @ 4750 RPM
Fuel Economy (City/Hwy)	4.8 L/100 km (49 MPG)



SUPERLOW®

XL 883L



Colour Options: Vivid Black, Corona Yellow Pearl, Bonneville Salt Pearl;
Two-Tone: Wicked Red/Twisted Cherry

DIMENSIONS

Overall Length.....	2185 mm
Overall Width.....	815 mm
Seat Height.....	760 mm
Ground Clearance.....	140 mm
Lean Angle (right/left).....	27°/28°
Wheelbase.....	1515 mm
Wheel Size Front.....	19-inch, 483 mm
Wheel Size Rear.....	16-inch, 406 mm
Fuel Capacity.....	12.5 L
Running Weight.....	256 kg
GVWR.....	454 kg

POWERTRAIN

Engine.....	Air-cooled, Evolution®
Displacement.....	883 cc/53.9 cu. in.
Transmission.....	5-speed
Torque (EC 134/2014).....	68 Nm @ 4750 RPM
Fuel Economy (City/Hwy).....	4.8 L/100 km (49 MPG)



IRON 883™

XL 883N



Colour Options: Black Denim, Industrial Gray Denim, Wicked Red, Bonneville Salt Denim; **HCC:** Hard Candy Chameleon Flake

DIMENSIONS

Overall Length	2225 mm
Overall Width	840 mm
Seat Height	725 mm
Ground Clearance	105 mm
Lean Angle (right/left)	26.2°/28.3°
Wheelbase	1530 mm
Wheel Size Front	16-inch, 406 mm
Wheel Size Rear	16-inch, 406 mm
Fuel Capacity	17 L
Running Weight	268 kg
GVWR	454 kg

POWERTRAIN

Engine	Air-cooled, Evolution®
Displacement	1202 cc/73.4 cu. in.
Transmission	5-speed
Torque (EC 134/2014)	96Nm @ 3500 RPM
Fuel Economy (City/Hwy)	5.2L/100km(45 MPG)



NEW 1200 CUSTOM

XL 1200C



Colour Options: Black Tempest, Sumatra Brown, Twisted Cherry, Bonneville Salt Pearl;
Two-Tone: Silver Fortune/Black Tempest, Industrial Gray Denim/Black Denim

DIMENSIONS

Overall Length	2185 mm
Overall Width	860 mm
Seat Height	785 mm
Ground Clearance	150 mm
Lean Angle (right/left)	30.8°/31.1°
Wheelbase	1505 mm
Wheel Size Front	19-inch, 483 mm
Wheel Size Rear	18-inch, 457 mm
Fuel Capacity	12.5 L
Running Weight	259 kg
GVWR	454 kg

POWERTRAIN

Engine	Air-cooled, Evolution®
Displacement	1202 cc/73.4 cu. in.
Transmission	5-speed
Torque (EC 134/2014)	96 Nm @ 4000 RPM
Fuel Economy (City/Hwy)	5.2L/100 km (45 MPG)



ROADSTER™

XL 1200CX



Colour Options: Vivid Black, Corona Yellow Pearl, Sumatra Brown;
Two-Tone: Electric Blue/Silver Fortune, Industrial Gray Denim/Black Denim

DIMENSIONS

Overall Length.....	2165 mm
Overall Width.....	835 mm
Seat Height.....	710 mm
Ground Clearance.....	110 mm
Lean Angle (right/left).....	27.1°/27.1°
Wheelbase.....	1495 mm
Wheel Size Front.....	16-inch, 406 mm
Wheel Size Rear.....	16-inch, 406 mm
Fuel Capacity.....	7.9 L
Running Weight.....	252 kg
GVWR.....	454 kg

POWERTRAIN

Engine.....	Air-cooled, Evolution®
Displacement.....	1202 cc/73.4 cu. in.
Transmission.....	5-speed
Torque (EC 134/2014).....	.96 Nm @ 3500 RPM
Fuel Economy (City/Hwy).....	5.2 L/100 km (45 MPG)



FORTY-EIGHT®

XL 1200X / XL 1200X ANX



Colour Options: Vivid Black, Red Iron Denim, Twisted Cherry;
HCC: Hard Candy Shattered Flake; **Anniversary:** Legend Blue Denim

DIMENSIONS

Overall Length	2210 mm
Overall Width	850 mm
Seat Height	705 mm
Ground Clearance	95 mm
Lean Angle (right/left)	25°/26°
Wheelbase	1500 mm
Wheel Size Front	18-inch, 457 mm
Wheel Size Rear	17-inch, 432 mm
Fuel Capacity	17 L
Running Weight	274 kg
Gross Vehicle Wt. Rating	454 kg

POWERTRAIN

Engine	Air-cooled, Evolution®
Displacement	1202 cc/73.4 cu. in.
Transmission	5-speed
Torque (per EC 134/2014)	96 Nm @ 3500 RPM
Fuel Economy (City/Hwy)	5.2 L/100 km (45.2 MPG)



SUPERLOW® 1200T

XL 1200T



Colour Options: Vivid Black, Black Tempest, Wicked Red;
Two-Tone: Electric Blue/Silver Fortune, Silver Fortune/Sumatra Brown

COMPETITIVE COMPARISON

		Engine Displacement	Seat Height	Weight	Fuel Capacity	ABS Offered	Cruise Control Offered	Tyre & Wheel Size	Final Drive	Transmission
Sportster®	Yamaha/Star Bolt	942 cc, Air-cooled, V-Twin	691 mm	245.8 kg (wet)	12.9 L	N	N	Front: 100/90-19 Rear: 150/80-16	Belt	5-Speed
	2016 Yamaha XJR1300	1250 cc, Air-cooled, Inline Four-cylinder	829 mm	240 kg	14.5 L	N	N	Front: 120/70 -ZR17 Rear: 180/55-ZR17	Chain	6-Speed
	Indian® Scout	1130.7 cc, Liquid-cooled V-Twin	635 mm	254 kg (wet)	12.5 L	Y	N	Front: 130/90-16 72H Rear: 150/80-16 71H	Belt	6-Speed
	Triumph Bonneville Bobber	1200 cc, Liquid-cooled Parallel Twin	690 mm	228 kg (dry)	9 L	Y	N	Front: 100/90-19 M/C 57H Rear: 150/80R16	Chain	6-Speed
	BMW R nineT	1170 cc, Air/Oil-cooled Flat Twin	805 mm	220 kg (wet)	17 L	Y	N	Front: 120/70 R 19 Rear: 170/60 R 17	Shaft	6-Speed
	Ducati Scrambler Classic	803 cc, Air-cooled, L-Twin	790 mm	192.5 kg (wet)	13.5 L	Y	N	Front: 60 RS 110/80 ZR18 Rear: 60 RS 180/55 ZR17	Chain	6-Speed
	Kawasaki Vulcan® S	649 cc, Liquid-cooled, Parallel Twin	706 mm	225.9 kg (wet)	14 L	Y	N	Front: 120/70x18 Rear: 160/60x17	Chain	6-Speed

continued...

COMPETITIVE COMPARISON

Sportster®		Engine Displacement	Seat Height	Weight	Fuel Capacity	ABS Offered	Cruise Control Offered	Tyre & Wheel Size	Final Drive	Transmission
		1140 cc, Air/Oil-cooled, Inline Four-cylinder	795 mm	252 kg (wet)	16.8 L	Y	N	Front: 120/70 R17 Rear: 180/55 R17	Chain	6-Speed

*Based on information (about competitive models) that was publicly available at the time of this publication.

The wet weight of a motorcycle includes, but is not limited to fuel, engine oil, coolant, brake fluid and battery.

All seat heights are laden and all competitive specs are for 2017 models, unless noted.



SOFTAIL® STORY

THE NEXT CUSTOM REVOLUTION

Authentic innovation meets true Harley-Davidson soul in the reinvented Softail® family. The most powerful, agile, and responsive cruisers in Harley-Davidson history feature a lighter and stiffer frame, high-performance suspension and the smooth, unrelenting torque of a fully counter-balanced Milwaukee-Eight® V-Twin engine. Each Softail® model has a distinctive look and attitude that stays true to the roots of Harley-Davidson® custom motorcycle design.

2018 SOFTAIL LINEUP

NEW Heritage Classic

NEW Heritage Classic 114 / 115th Anniversary Heritage Classic 114

NEW Fat Boy®

NEW Fat Boy® 114 / 115th Anniversary Fat Boy® 114

NEW Deluxe

NEW Softail Slim®

NEW Breakout®

NEW Breakout® 114 / 115th Anniversary Breakout® 114

NEW Street Bob®

NEW Fat Bob®

NEW Fat Bob® 114

NEW Low Rider®

Competitive Comparison

SOFTAIL®

DIMENSIONS

Overall Length	2415 mm
Overall Width	930 mm
Seat Height	680 mm
Ground Clearance	120 mm
Lean Angle (right/left)	27.3°/28.5°
Wheelbase	1630 mm
Wheel Size Front	16-inch, 406 mm
Wheel Size Rear	16-inch, 406 mm
Fuel Capacity	18.9 L
Running Weight	330 kg
GVWR	526 kg

POWERTRAIN

Engine	Milwaukee-Eight® 107 engine
Displacement	1745 cc/107 cu. in.
Transmission	6-Speed Cruise Drive®
Torque (EC 134/2014)	145 Nm @ 3000 RPM
Fuel Economy (City/Hwy)	5.5L/100 (43 MPG)



NEW HERITAGE CLASSIC

FLHC



Colour Options: Vivid Black, Twisted Cherry, Silver Fortune;
Two-Tone: Olive Gold/Black Tempest, Industrial Gray Denim/Black Denim

NEW HERITAGE CLASSIC 114

FLHCS / FLHCS ANV

DIMENSIONS

Overall Length	2415 mm
Overall Width	930 mm
Seat Height	680 mm
Ground Clearance	120 mm
Lean Angle (right/left)	27.3°/28.5°
Wheelbase	1630 mm
Wheel Size Front	16-inch, 406 mm
Wheel Size Rear	16-inch, 406 mm
Fuel Capacity	18.9 L
Running Weight	330 kg
GVWR	526 kg

POWERTRAIN

Engine	Milwaukee-Eight® 114 engine
Displacement	1868 cc/114 cu. in.
Transmission	6-Speed Cruise Drive®
Torque (EC 134/2014)	155 Nm @ 3000 RPM
Fuel Economy (City/Hwy)	5.6L/100 km (42 MPG)



Colour Options: Vivid Black, Red Iron Denim, Twisted Cherry, Silver Fortune;
Two-Tone: Olive Gold/Black Tempest, Industrial Gray Denim/Black Denim;
Anniversary: Legend Blue/Vivid Black

DIMENSIONS

Overall Length.....	2370 mm
Overall Width.....	985 mm
Seat Height.....	675 mm
Ground Clearance	115 mm
Lean Angle (right/left).....	25.6°/25.6°
Wheelbase	1665 mm
Wheel Size Front.....	18-inch, 457 mm
Wheel Size Rear.....	18-inch, 457 mm
Fuel Capacity.....	18.9 L
Running Weight.....	317 kg
GVWR	533 kg

POWERTRAIN

Engine.....	Milwaukee-Eight® 107 engine
Displacement.....	1745 cc/107 cu. in.
Transmission	6-Speed Cruise Drive®
Torque (EC 134/2014)...	145 Nm @ 3000 RPM
Fuel Economy (City/Hwy).	5.5L/100 km (43 MPG)



NEW FAT BOY® FLFB



Colour Options: Vivid Black, Black Tempest, Industrial Gray, Bonneville Salt Pearl; **Two-Tone:** Wicked Red/Twisted Cherry

DIMENSIONS

Overall Length	2370 mm
Overall Width	985 mm
Seat Height	675 mm
Ground Clearance	115 mm
Lean Angle (right/left)	25.6°/25.6°
Wheelbase	1665 mm
Wheel Size Front	18-inch, 457 mm
Wheel Size Rear	18-inch, 457 mm
Fuel Capacity	18.9 L
Running Weight	317 kg
GVWR	533 kg

POWERTRAIN

Engine	Milwaukee-Eight® 114 engine
Displacement	1868 cc/114 cu. in.
Transmission	6-Speed Cruise Drive®
Torque (EC 134/2014)	155 Nm @ 3000 RPM
Fuel Economy (City/Hwy)	5.6L/100 km (42 MPG)



NEW FAT BOY® 114

FLFBS / FLFBS ANV / FLFBS ANX



Colour Options: Vivid Black, Black Tempest, Industrial Gray, Bonneville Salt Pearl; **Two-Tone:** Wicked Red/Twisted Cherry; **Anniversary:** Legend Blue Denim, Legend Blue/Vivid Black

DIMENSIONS

Overall Length.....	2415 mm
Overall Width.....	955 mm
Seat Height.....	680 mm
Ground Clearance.....	115 mm
Lean Angle (right/left).....	28°/28°
Wheelbase.....	1630 mm
Wheel Size Front.....	16-inch, 406 mm
Wheel Size Rear.....	16-inch, 406 mm
Fuel Capacity.....	18.9 L
Running Weight.....	316 kg
GVWR.....	526 kg

POWERTRAIN

Engine.....	Milwaukee-Eight® 107 engine
Displacement.....	1745 cc/107 cu. in.
Transmission.....	6-Speed Cruise Drive®
Torque (EC 134/2014).....	145 Nm @ 3000 RPM
Fuel Economy (City/Hwy).....	5.5L/100 km (43 MPG)



NEW DELUXE FLDE

New Tombstone
LED brakelight
and LED indicators

New Lighter, stiffer frame
than prior models

New Unique, retro-modern
LED lighting

New Dual
Bending Valve

New Mono shock rear
suspension with under
seat socket adjust rear
shock pre-load

New Milwaukee-Eight®
107 engine

Chrome Laced wheels
and whitewall tyres

Colour Options: Vivid Black, Twisted Cherry, Electric Blue;
Two-Tone: Silver Fortune/Sumatra Brown, Wicked Red/Twisted Cherry



DIMENSIONS

Overall Length.....	2310 mm
Overall Width.....	970 mm
Seat Height.....	660 mm
Ground Clearance.....	120 mm.
Lean Angle (right/left).....	27.4°/27.4°
Wheelbase.....	1630 mm
Wheel Size Front.....	16-inch, 406 mm
Wheel Size Rear.....	16-inch, 406 mm
Fuel Capacity.....	18.9 L
Running Weight.....	304 kg
GVWR.....	526 kg

POWERTRAIN

Engine.....	Milwaukee-Eight® 107 engine
Displacement.....	1745 cc/107 cu. in.
Transmission.....	6-Speed Cruise Drive®
Torque (EC 134/2014)...	145 Nm @ 3000 RPM
Fuel Economy (City/Hwy).	5.5L/100 km (43 MPG)



NEW SOFTTAIL SLIM® FLSL



Colour Options: Vivid Black, Black Denim, Industrial Gray Denim,
Wicked Red, Bonneville Salt Denim

DIMENSIONS

Overall Length.....	2370 mm
Overall Width.....	950 mm
Seat Height.....	665 mm
Ground Clearance.....	115 mm
Lean Angle (right/left).....	26.8°/26.8°
Wheelbase.....	1695 mm
Wheel Size Front.....	21-inch, 533 mm
Wheel Size Rear.....	18-inch, 457 mm
Fuel Capacity.....	13.2 L
Running Weight.....	305 kg
GVWR.....	533 kg

POWERTRAIN

Engine.....	Milwaukee-Eight® 107 engine
Displacement.....	1745 cc/107 cu. in.
Transmission.....	6-Speed Cruise Drive®
Torque (EC 134/2014).....	145 Nm @ 3000 RPM
Fuel Economy (City/Hwy).....	5.5L/100 km (43 MPG)



NEW BREAKOUT® FXBR



Colour Options: Vivid Black, Black Tempest, Twisted Cherry, Silver Fortune

DIMENSIONS

Overall Length.....	2370 mm
Overall Width.....	950 mm
Seat Height.....	665 mm
Ground Clearance.....	115 mm
Lean Angle (right/left).....	26.8°/26.8°
Wheelbase.....	1695 mm
Wheel Size Front.....	21-inch, 533 mm
Wheel Size Rear.....	18-inch, 457 mm
Fuel Capacity.....	13.2 L
Running Weight.....	305 kg
GVWR.....	533 kg

POWERTRAIN

Engine.....	Milwaukee-Eight® 114 engine
Displacement.....	1868 cc/114 cu. in.
Transmission.....	6-Speed Cruise Drive®
Torque (EC 134/2014).....	155 Nm @ 3000 RPM
Fuel Economy (City/Hwy)....	5.6L/100 km (42 MPG)



Colour Options: Vivid Black, Black Tempest, Twisted Cherry, Silver Fortune;
Anniversary: Legend Blue Denim

NEW BREAKOUT® 114

FXBRS / FXBRS ANX



DIMENSIONS

Overall Length.....	2320 mm
Overall Width.....	865 mm
Seat Height.....	680 mm
Ground Clearance.....	125 mm
Lean Angle (right/left).....	28.5°/28.5°
Wheelbase.....	1630 mm
Wheel Size Front.....	19-inch, 483 mm
Wheel Size Rear.....	17-inch, 432 mm
Fuel Capacity.....	13.2 L
Running Weight.....	297 kg
GVWR.....	526 kg

POWERTRAIN

Engine.....	Milwaukee-Eight® 107 engine
Displacement.....	1745 cc/107 cu. in.
Transmission.....	6-Speed Cruise Drive®
Torque (EC 134/2014).....	145 Nm @ 3000 RPM
Fuel Economy (City/Hwy).....	5.5L/100 km (43 MPG)



NEW STREET BOB® FXBB



Colour Options: Vivid Black, Olive Gold, Red Iron Denim;
Two-Tone: Wicked Red/Twisted Cherry, Industrial Gray Denim/Black Denim

NEW FAT BOB® FXFB

DIMENSIONS

Overall Length.....	2340 mm
Overall Width.....	960 mm
Seat Height.....	710 mm
Ground Clearance.....	120 mm
Lean Angle (right/left).....	31°/32°
Wheelbase.....	1615 mm
Wheel Size Front.....	16-inch, 406 mm
Wheel Size Rear.....	16-inch, 406 mm
Fuel Capacity.....	13.6 L
Running Weight.....	306 kg
GVWR.....	526 kg

POWERTRAIN

Engine.....	Milwaukee-Eight® 107 engine
Displacement.....	1745 cc/107 cu. in.
Transmission.....	6-Speed Cruise Drive®
Torque (EC 134/2014).....	145 Nm @ 3000 RPM
Fuel Economy (City/Hwy).....	5.4L/100 km (44 MPG)



Colour Options: Vivid Black, Black Denim, Red Iron Denim, Bonneville Salt Denim

DIMENSIONS

Overall Length	2340 mm
Overall Width	960 mm
Seat Height	710 mm
Ground Clearance	120 mm
Lean Angle (<i>right/left</i>)	31°/32°
Wheelbase	1615 mm
Wheel Size Front	16-inch, 406 mm
Wheel Size Rear	16-inch, 406 mm
Fuel Capacity	13.6 L
Running Weight	306 kg
GVWR	526 kg

POWERTRAIN

Engine	Milwaukee-Eight® 114 engine
Displacement	1868 cc/114 cu. in.
Transmission	6-Speed Cruise Drive®
Torque (<i>EC 134/2014</i>)	155 Nm @ 3000 RPM
Fuel Economy (<i>City/Hwy</i>)	5.3L/100 km (44 MPG)



NEW FAT BOB® 114

FXFBS



Colour Options: Vivid Black, Black Denim,
Red Iron Denim, Industrial Gray Denim, Bonneville Salt Denim

DIMENSIONS

Overall Length	2355 mm
Overall Width	965 mm
Seat Height	690 mm
Ground Clearance	130 mm
Lean Angle (right/left)	29.6°/29.6°
Wheelbase	1630 mm
Wheel Size Front	19-inch, 483 mm
Wheel Size Rear	16-inch, 406 mm
Fuel Capacity	18.9 L
Running Weight	300 kg
GVWR	526 kg

POWERTRAIN

Engine	Milwaukee-Eight® 107 engine
Displacement	1745 cc/107 cu. in.
Transmission	6-Speed Cruise Drive®
Torque (EC 134/2014)	145 Nm @ 3000 RPM
Fuel Economy (City/Hwy) ...	5.5L/100 km (43 MPG)



NEW LOW RIDER® FXLR



Colour Options: Vivid Black, Wicked Red, Electric Blue, Bonneville Salt Pearl

COMPETITIVE COMPARISON

		Engine Displacement	Seat Height	Weight	Fuel Capacity	ABS Offered	Cruise Control Offered	Tyre & Wheel Size	Final Drive	Transmission
Softail®	Heritage Softail® Classic	1690 cc, Air-cooled, High Output Twin Cam 103B™	690 mm	347 kg (wet)	18.9 L	Y	Y	Front: MT90B16 72H Rear: 150/80B16 71H	Belt	6-Speed Cruise Drive®
	Fat Boy®	1690 cc, Air-cooled, High Output Twin Cam 103B™	670 mm	333 kg (wet)	18.9 L	Y	N	Front: 140/75R17 67V Rear: 200/55R17 78V	Belt	6-Speed Cruise Drive®
	Softail® Deluxe	1690 cc, Air-cooled, High Output Twin Cam 103B™	670 mm	333 kg (wet)	18.8 L	N	Y	Front: MT90B16 72H Rear: MU85B16 77H	Belt	6-Speed Cruise Drive®
	Softail Slim®	1690 cc, Air-cooled, High Output Twin Cam 103B™	650 mm	321 kg (wet)	18.9 L	Y	N	Front: MT90B16 72H Rear: MU85B16 77H	Belt	6-Speed Cruise Drive®
	Breakout®	1690 cc, Air-cooled, High Output Twin Cam 103B™	650 mm	320 kg (wet)	18.9 L	Y	N	Front: 130/60B21 63H Rear: 240/40R18 79V	Belt	6-Speed Cruise Drive®
	Street Bob®	1690 cc, Air-cooled, Twin Cam 103™	680 mm	304 kg (wet)	17.8 L	Y	N	Front: 100/90B19 57H Rear: 160/70B17 73V	Belt	6-Speed Cruise Drive®
	Fat Bob®	1690 cc, Air-cooled, High Output Twin Cam 103™	705 mm	320 kg (wet)	18.9 L	Y	N	Front: 130/90B16 67H Rear: 180/70B16 77H	Belt	6-Speed Cruise Drive®
	Low Rider®	1690 cc, Air-cooled, High Output Twin Cam 103™	700 mm	311 kg (wet)	17.8 L	Y	N	Front: 100/90B19 57H Rear: 160/70B17 73V	Belt	6-Speed Cruise Drive®

continued...

COMPETITIVE COMPARISON

		Engine Displacement	Seat Height	Weight	Fuel Capacity	ABS Offered	Cruise Control Offered	Tyre & Wheel Size	Final Drive	Transmission
Softail®	Yamaha Gold Wing F6C	1832 cc, Liquid-cooled, Six-cylinder	734 mm	341 kg (wet)	23.2 L	Y	Y	Front: 130/60-19 Rear: 180/55-17	Shaft	5-speed
	Indian Chief Dark Horse	1811 cc, Air/Oil-cooled, Thunder Stroke® 111, V-Twin	660 mm (laden)	356 kg (wet)	20.8 L	Y	Y	Front: 130/90 B16 73H Rear: 180/65 B16 81H	Belt	6-speed
	Indian Chief Classic	1811 cc, Air/Oil-cooled, Thunder Stroke® 111, V-Twin	660 mm (laden)	357 kg (wet)	20.8 L	Y	Y	Front: 130/90B16 73H Rear: 180/65B16 81H	Belt	6-speed
	Indian Chief Vintage	1811 cc, Air/Oil-cooled, Thunder Stroke® 111, V-Twin	660 mm (laden)	388 kg (wet)	20.8 L	Y	Y	Front: 130/90B16 67H Rear: 180/65B16 81H	Belt	6-Speed
	Indian Springfield	1811 cc, Air/Oil-cooled, Thunder Stroke® 111, V-Twin	660 mm (laden)	391 kg (wet)	20.8 L	Y	Y	Front: 130/90B16 73H Rear: 180/60R16 80H	Belt	6-Speed
	Kawasaki Vulcan 1700 Voyager ABS	1700 cc, Liquid-cooled, 52° V-Twin	730 mm	406 kg (wet)	20 L	Y	Y	Front: 130/90-B16 Rear: 170/70-B16	Belt	6-Speed
	Moto Guzzi Eldorado	1380 cc, Air/Oil-cooled, 90° V-Twin	740 mm	314 kg (dry)	20.5 L	Y	Y	Front: 130/90 R16 Rear: 180/65 R16	Double cardan joint and fixed bevel gear seat	6-Speed

continued...

COMPETITIVE COMPARISON*

Softail®		Engine Displacement	Seat Height	Weight	Fuel Capacity	ABS Offered	Cruise Control Offered	Tyre & Wheel Size	Final Drive	Transmission
	Suzuki Boulevard M109R B.O.S.S.	1783 cc, Liquid-cooled, 54° V-Twin	705 mm	347 kg (wet)	18.55 L	N	N	Front: 130/70-R18 Rear: 240/40-R18	Shaft	5-Speed
	Suzuki Boulevard C90 B.O.S.S.	1462 cc, Liquid-cooled, 54° V-Twin	720 mm	344 kg (wet)	18.2 L	N	N	Front: 130/80-17M/C 65H Rear: 200/60-16M/C 79H	Shaft	5-Speed
	2016 Triumph Thunderbird Storm	1699 cc, Liquid-cooled, Parallel Twin	700 mm	339 kg (wet)	22 L	Y	N	Front: 120/70 R19 Rear: 200/50 R17 75W	Belt	6-Speed
	2016 Triumph Thunderbird LT	1699 cc, Liquid-cooled, Parallel Twin	700 mm	380 (wet)	26 L	Y	N	Front: 150/80 VR16 Rear: 180/70 VR16	Belt	6-Speed
	Honda CTX1300	1261 cc, Liquid-cooled, V-Four	735 mm	338 kg (wet)	19.5 L	Y	N	Front: 130/70-18 Rear: 200/50-17	Shaft	5-Speed

*Based on information (about competitive models) that was publicly available at the time of this publication.
The wet weight of a motorcycle includes, but is not limited to fuel, engine oil, coolant, brake fluid and battery.
All seat heights are laden and all competitive specs are for 2017 models, unless noted.

TOURING STORY

LONG HAUL COMFORT. NO RESTRAINTS.

Harley-Davidson® Touring models feature long haul comfort combined with power that will unleash your soul. Spanning decades of heritage and nostalgia, Touring bikes began their lineage in 1936 when the Motor Company introduced a new engine design nicknamed the Knucklehead. From that heritage grew the powerful Milwaukee Eight® engine with more power, comfort, and handling to go the distance, making piling up the miles rewarding and comfortable for both rider and passenger.

2018 TOURING LINEUP

Road King®

Road King® Classic

Road King® Special

Ultra Limited / 115th Anniversary Ultra Limited

Ultra Limited Low

Street Glide®

NEW Street Glide® Special /
115th Anniversary Street Glide® Special

Road Glide®

NEW Road Glide® Special

Road Glide® Ultra

Competitive Comparison

TOURING

DIMENSIONS

Overall Length	2450 mm
Overall Width	960 mm
Seat Height	705 mm
Ground Clearance	135 mm
Lean Angle (right/left)	32°/32°
Wheelbase	1625 mm
Wheel Size Front	17-inch, 432 mm
Wheel Size Rear	16-inch, 406 mm
Fuel Capacity	22.7 L
Running Weight	379 kg
GVWR	617 kg

POWERTRAIN

Engine	Milwaukee-Eight® 107 engine
Displacement	1745 cc/107 cu. in.
Transmission	6-Speed Cruise Drive®
Torque (EC 134/2014)	150 Nm @ 3250 RPM
Fuel Economy (City/Hwy) ...	5.9 L/100 km (40 MPG)



ROAD KING®

FLHR



Colour Options: Vivid Black, Twisted Cherry;

Two-Tone: Electric Blue/Silver Fortune, Silver Fortune/Sumatra Brown, Olive Gold/Black Tempest;

HCC: Hard Candy Shattered Flake

ROAD KING® CLASSIC

FLHRC

DIMENSIONS

Overall Length	2420 mm
Overall Width	930 mm
Seat Height	715 mm
Ground Clearance	125 mm
Lean Angle (right/left)	32°/32.1°
Wheelbase	1625 mm
Wheel Size Front	17-inch, 432 mm
Wheel Size Rear	16-inch, 406 mm
Fuel Capacity	22.7 L
Running Weight	376 kg
GVWR	617 kg

POWERTRAIN

Engine	Milwaukee-Eight® 107 engine
Displacement	1745 cc/107 cu. in.
Transmission	6-Speed Cruise Drive®
Torque (EC 134/2014)...	150 Nm @ 3250 RPM
Fuel Economy (City/Hwy)...	5.9 L/100 km (40 MPG)



REFLEX



King Size H-D®
Detachables™
windshield

Electronic
Cruise control,
standard

Dual Halogen
headlights

Dual
Bending Valve

One-Touch saddlebags

Hand-adjustable
emulsion rear shocks

Narrow
primary
drive

Milwaukee-Eight®
107 engine

Chrome Steel Laced
wheels with Custom
Whitewall tyres

Colour Options: Vivid Black, Bonneville Salt Pearl;
Two-Tone: Silver Fortune/Sumatra Brown, Olive Gold/Black Tempest,
Twisted Cherry/Silver Fortune



DIMENSIONS

Overall Length	2420 mm
Overall Width	990 mm
Seat Height	695 mm
Ground Clearance	125 mm
Lean Angle (<i>right/left</i>)	32°/31°
Wheelbase	1625 mm
Wheel Size Front	19-inch, 483 mm
Wheel Size Rear	18-inch, 457 mm
Fuel Capacity	22.7 L
Running Weight	372 kg
GVWR	617 kg

POWERTRAIN

Engine	Milwaukee-Eight® 107 engine
Displacement	1745 cc/107 cu. in.
Transmission	6-Speed Cruise Drive®
Torque (<i>EC 134/2014</i>)	150 Nm @ 3250 RPM
Fuel Economy (<i>City/Hwy</i>)	5.9 L/100 km (40 MPG)



ROAD KING® SPECIAL FLHRXS



Colour Options: Vivid Black, Olive Gold, Industrial Gray Denim;
HCC: Hard Candy Hot Rod Red Flake

DIMENSIONS

Overall Length	2600 mm
Overall Width	960 mm
Seat Height	740 mm
Ground Clearance	135 mm
Lean Angle (right/left)	32°/32°
Wheelbase	1625 mm
Wheel Size Front	17-inch, 432 mm
Wheel Size Rear	16-inch, 406 mm
Fuel Capacity	22.7 L
Running Weight	413 kg
GVWR	617 kg

POWERTRAIN

Engine	Twin-Cooled™ Milwaukee-Eight® 107 engine
Displacement	1745 cc/107 cu. in.
Transmission	6-Speed Cruise Drive®
Torque (EC 134/2014)	152 Nm @ 3250 RPM
Fuel Economy (City/Hwy)	6.1 L/100 km (39 MPG)



ULTRA LIMITED

FLHTK / FLHTK ANV



Colour Options: Vivid Black, Twisted Cherry; **Two-Tone:** Silver Fortune/Black Tempest, Silver Fortune/Sumatra Brown, Olive Gold/Black Tempest, Wicked Red/Twisted Cherry, Industrial Gray Denim/Black Denim; **Anniversary:** Legend Blue/Vivid Black

DIMENSIONS

Overall Length.....	2600 mm
Overall Width.....	960 mm
Seat Height.....	675 mm
Ground Clearance.....	115 mm
Lean Angle (right/left).....	31.9°/31.8°
Wheelbase.....	1625 mm
Wheel Size Front.....	17-inch, 432 mm
Wheel Size Rear.....	16-inch, 406 mm
Fuel Capacity.....	22.7 L
Running Weight.....	412 kg
GVWR.....	617 kg

POWERTRAIN

Engine.....	Twin-Cooled™
	Milwaukee-Eight® 107 engine
Displacement.....	1745 cc/107 cu. in.
Transmission.....	6-Speed Cruise Drive®
Torque (EC 134/2014).....	152 Nm @ 3250 RPM
Fuel Economy (City/Hwy).....	6.1 L/100 km (39 MPG)



ULTRA LIMITED LOW FLHTKL

Colour Options: Vivid Black, Twisted Cherry;
Two-Tone: Silver Fortune/Black Tempest, Silver Fortune/Sumatra Brown, Olive Gold/Black Tempest, Wicked Red/Twisted Cherry, Industrial Gray Denim/Black Denim



DIMENSIONS

Overall Length	2450 mm
Overall Width	960 mm
Seat Height	695 mm
Ground Clearance	135 mm
Lean Angle (right/left)	32°/31°
Wheelbase	1625 mm
Wheel Size Front	19-inch, 483 mm
Wheel Size Rear	16-inch, 406 mm
Fuel Capacity	22.7 L
Running Weight	376 kg
GVWR	617 kg

POWERTRAIN

Engine	Milwaukee-Eight® 107 engine
Displacement	1745 cc/107 cu. in.
Transmission	6-Speed Cruise Drive®
Torque (EC 134/2014)	150 Nm @ 3250 RPM
Fuel Economy (City/Hwy) ...	5.9 L/100 km (40 MPG)



STREET GLIDE®

FLHX / FLHX ANV



Colour Options: Vivid Black, Black Tempest, Industrial Gray Denim, Wicked Red, Electric Blue, Silver Fortune; **HCC:** Hard Candy Shattered Flake, Hard Candy Chameleon Flake;
Anniversary: Legend Blue/Vivid Black

DIMENSIONS

Overall Length.....	2425 mm
Overall Width.....	960 mm
Seat Height.....	690 mm
Ground Clearance.....	125 mm
Lean Angle (right/left).....	32°/31°
Wheelbase.....	1625 mm
Wheel Size Front.....	19-inch, 483 mm
Wheel Size Rear.....	18-inch, 457 mm
Fuel Capacity.....	22.7 L
Running Weight.....	379 kg
GVWR.....	617 kg

POWERTRAIN

Engine.....	Milwaukee-Eight® 107 engine
Displacement.....	1745 cc/107 cu. in.
Transmission.....	6-Speed Cruise Drive®
Torque (EC 134/2014).....	150 Nm @ 3250 RPM
Fuel Economy (City/Hwy)...	5.9 L/100 km (40 MPG)



NEW STREET GLIDE® SPECIAL

FLHXS / FLHXS ANX



Colour Options: Vivid Black, Twisted Cherry, Bonneville Salt Denim;
HCC: Hard Candy Hot Rod Red Flake; **Anniversary:** Legend Blue Denim

ROAD GLIDE® FLTRX

DIMENSIONS

Overall Length	2430 mm
Overall Width	980 mm
Seat Height	695 mm
Ground Clearance	140 mm
Lean Angle (right/left)	31°/29°
Wheelbase	1625 mm
Wheel Size Front	19-inch, 483 mm
Wheel Size Rear	16-inch, 406 mm
Fuel Capacity	22.7 L
Running Weight	388 kg
GVWR	617 kg

POWERTRAIN

Engine	Milwaukee-Eight® 107 engine
Displacement	1745 cc/107 cu. in.
Transmission	6-Speed Cruise Drive®
Torque (EC 134/2014)	150 Nm @ 3250 RPM
Fuel Economy (City/Hwy) ...	5.9 L/100 km (40 MPG)



Colour Options: Vivid Black, Black Denim, Sumatra Brown, Twisted Cherry;
HCC: Hard Candy Shattered Flake, Hard Candy Chameleon Flake

DIMENSIONS

Overall Length.....	2430 mm
Overall Width.....	980 mm
Seat Height.....	695 mm
Ground Clearance.....	140 mm
Lean Angle (right/left).....	32°/31°
Wheelbase.....	1625 mm
Wheel Size Front.....	19-inch, 483 mm
Wheel Size Rear.....	18-inch, 457 mm
Fuel Capacity.....	22.7 L
Running Weight.....	388 kg
GVWR.....	617 kg

POWERTRAIN

Engine.....	Milwaukee-Eight® 107 engine
Displacement.....	1745 cc/107 cu. in.
Transmission.....	6-Speed Cruise Drive®
Torque (EC 134/2014).....	150 Nm @ 3250 RPM
Fuel Economy (City/Hwy)...	5.9 L/100 km (40 MPG)



NEW ROAD GLIDE® SPECIAL FLTRXS



Colour Options: Vivid Black, Wicked Red, Bonneville Salt Pearl;
HCC: Hard Candy Hot Rod Red Flake

DIMENSIONS

Overall Length	2595 mm
Overall Width	930 mm
Seat Height	735 mm
Ground Clearance	130 mm
Lean Angle (right/left)	31.9°/31.8°
Wheelbase	1625 mm
Wheel Size Front	17-inch, 432 mm
Wheel Size Rear	16-inch, 406 mm
Fuel Capacity	22.7 L
Running Weight	425 kg
GVWR	617 kg


POWERTRAIN

Engine	Twin-Cooled™
	Milwaukee-Eight® 107 engine
Displacement	1745 cc/107 cu. in.
Transmission	6-Speed Cruise Drive®
Torque (EC 134/2014)	152 Nm @ 3250 RPM
Fuel Economy (City/Hwy)	6.1 L/100 km (39 MPG)



ROAD GLIDE® ULTRA

FLTRU



Colour Options: Vivid Black, Industrial Gray, Twisted Cherry, Electric Blue;
Two-Tone: Silver Fortune/Black Tempest, Silver Fortune/Sumatra Brown,
 Wicked Red/Twisted Cherry

COMPETITIVE COMPARISON

		Engine Displacement	Seat Height	Weight	Fuel Capacity	ABS Offered	Cruise Control Offered	Tyre & Wheel Size	Final Drive	Transmission
Touring	Honda Gold Wing® F6B Deluxe	1832cc, Liquid-cooled, Horizontally opposed six-cylinder	723 mm	387.8 kg (wet)	24.9 L	Y	Y	Front: 130/70R-18 Rear: 180/60R-16	Shaft	5-Speed
	Honda Gold Wing® Audio Comfort/ Navi/XM/ABS	1832 cc, Liquid-cooled, Horizontally-opposed six- cylinder	739 mm	410 - 423 kg depending on pkg. (wet)	24.9 L	Y	Y	Front: 130/70R-18 Rear: 180/60R-16	Shaft	5-Speed
	BMW K1600 GTL	1649cc, Liquid-cooled, Straight-six	750 mm	348 kg. (wet)	26.5 L	Y	Y	Front: 120/70-ZR17 Rear: 190/55-ZR17	Shaft	6-Speed
	BMW R1200 RT	1170 cc, Air/Liquid-cooled, Flat Twin	805 mm	276 kg. (wet)	25 L	Y	Y	Front: 120/70-ZR17 Rear: 180/55-ZR17	Shaft	6-Speed
	Indian® Chieftan®	1811 cc, Air/Oil-cooled, Thunder Stroke® 111, V-Twin	660 mm (laden)	391 kg (wet)	20.8 L	Y	Y	Front: 130/90B16 Rear: 180/60R16	Belt	6-Speed
	Indian® Chieftan® Dark Horse®	1811 cc, Air-cooled, Thunder Stroke® 111, V-Twin	660 mm (laden)	377 kg (wet)	20.8 L	Y	Y	Front: 130/90B16 Rear: 180/60R16	Belt	6-Speed

continued...

COMPETITIVE COMPARISON*

		Engine Displacement	Seat Height	Weight	Fuel Capacity	ABS Offered	Cruise Control Offered	Tyre & Wheel Size	Final Drive	Transmission
Touring	Indian Chief Vintage	1811 cc, Air/Oil-cooled, Thunder Stroke® 111, V-Twin	660 mm (laden)	388 kg (wet)	20.8 L	Y	Y	Front: 130/90B16 67H Rear: 180/65B16 81H	Belt	6-Speed
	Indian Springfield	1811 cc, Air/Oil-cooled, Thunder Stroke® 111, V-Twin	660 mm (laden)	391 kg (wet)	20.8 L	Y	Y	Front: 130/90B16 73H Rear: 180/60R16 80H	Belt	6-Speed
	Indian® Roadmaster®	1811 cc, Air/Oil-cooled, Thunder Stroke® 111 V-Twin	673 mm (laden)	428 kg (wet)	20.8 L	Y	Y	Front: 130/90B16 73H Rear: 180/60R16 80H	Belt	6-Speed

*Based on information (about competitive models) that was publicly available at the time of this publication.
The wet weight of a motorcycle includes, but is not limited to fuel, engine oil, coolant, brake fluid and battery.
All seat heights are laden and all competitive specs are for 2017 models, unless noted.



TRIKE STORY

COMFORT. CARGO. HEAD TURNING STYLE.

The Harley-Davidson® Trike was designed specifically for three-wheel riding. Built on a three-wheeled chassis for a confidence inspiring ride, they provide long haul comfort and the perfect combination of power and the unmistakable look, sound and head-turning style that can only be found in a Harley-Davidson® motorcycle.

2018 TRIKE LINEUP

Tri Glide® Ultra / 115th Anniversary Tri Glide® Ultra
Freewheeler®

Competitive Comparison

TRIKE

DIMENSIONS

Overall Length	2670 mm
Overall Width	1390 mm
Seat Height	735 mm
Ground Clearance	125 mm
Lean Angle (right/left)	N/A
Wheelbase	1670 mm
Wheel Size Front	16-inch, 406 mm
Wheel Size Rear	15-inch, 381 mm
Fuel Capacity	22.7 L
Running Weight	564 kg
GVWR	771 kg

POWERTRAIN


Engine	Twin-Cooled™ Milwaukee-Eight® 107 engine
Displacement	1745 cc/107 cu. in.
Transmission	6-Speed Cruise Drive®
Torque (EC 134/2014)	152 Nm @ 3250 RPM
Fuel Economy (City/Hwy)	6.6 L/100 km (36 MPG)



Colour Options: Vivid Black, Black Tempest; **Two-Tone:** Silver Fortune/Sumatra Brown, Wicked Red/Twisted Cherry, Twisted Cherry/Silver Fortune;
Anniversary: Legend Blue/Vivid Black

TRI GLIDE® ULTRA

FLHTCUTG / FLHTCUTG ANV



DIMENSIONS

Overall Length.....	2615 mm
Overall Width.....	1405 mm
Seat Height.....	700 mm
Ground Clearance	125 mm
Lean Angle (<i>right/left</i>).....	N/A
Wheelbase	1670 mm
Wheel Size Front.....	19-inch, 483 mm
Wheel Size Rear	15-inch, 381 mm
Fuel Capacity.....	22.7 L
Running Weight.....	507 kg
GVWR	771 kg

POWERTRAIN

Engine	Milwaukee-Eight® 107 engine
Displacement.....	1745 cc/107 cu. in.
Transmission	6-Speed Cruise Drive®
Torque (<i>EC 134/2014</i>).....	150 Nm @ 3250 RPM
Fuel Economy (<i>City/Hwy</i>).....	6.4 L/100 km (37 MPG)



FREEWHEELER® FLRT



Colour Options: Vivid Black, Industrial Gray Denim, Wicked Red, Electric Blue

COMPETITIVE COMPARISON*

		Engine Displacement	Seat Height	Weight	Fuel Capacity	ABS Offered	Cruise Control Offered	Tyre & Wheel Size	Final Drive	Transmission
Trike	Can-Am Spyder RT-S	1330 cc, Liquid-cooled, ACE™ in-line	772 mm	459 kg (dry)	26 L	Y	Y	Front: 165/55 R15 55H Rear: 225/50 R15 76H	Belt	6-Speed

*Based on information (about competitive models) that was publicly available at the time of this publication.
The wet weight of a motorcycle includes, but is not limited to fuel, engine oil, coolant, brake fluid and battery.
All seat heights are laden and all competitive specs are for 2017 models, unless noted.

CVO™ STORY

EXCLUSIVE. PREMIUM. CUSTOM.

Each Harley-Davidson® CVO™ model is a handcrafted masterpiece, intended to push the boundaries of motorcycle luxury, performance, and technology. They begin as one of the current production models before being completely transformed with highly customized paint, styling, performance and features that are second to none. Produced as limited editions with a low production run, these attention-grabbing performance machines provide instant individualism for riders ready to make a custom statement.

2018 CVO™ LINEUP

CVO™ Street Glide®

CVO™ Road Glide®

CVO™ Limited

115th Anniversary CVO™ Limited

CVO™

DIMENSIONS

Overall Length	2435 mm
Overall Width	960 mm
Seat Height	695 mm
Ground Clearance	130 mm
Lean Angle (right/left)	32°/31°
Wheelbase	1625 mm
Wheel Size Front	19-inch, 483 mm
Wheel Size Rear	18-inch, 457 mm
Fuel Capacity	22.7 L
Running Weight	398 kg
GVWR	617 kg


POWERTRAIN

Engine	Milwaukee-Eight® 117 engine
Displacement	1923 cc/117 cu. in.
Transmission	6-Speed Cruise Drive®
Torque (EC 134/2014)	166 Nm @ 3500 RPM
Fuel Economy (City/Hwy)	6.1 L/100 km (39 MPG)



CVO™ STREET GLIDE®

FLHXSE



CVO™ STREET GLIDE® COLOUR OPTIONS

Most chrome and brighter finishes



Orange Lava and
Black Denim



Strong performance look
with blacked-out powertrain,
exhaust and front end



Dark Alloy and
Black Denim



Model shown in domestic configuration

Blacked out and very de-saturated
paint finish with minimal graphics



Gunship Gray



Model shown in domestic configuration

DIMENSIONS

Overall Length.....	2460 mm
Overall Width.....	965 mm
Seat Height.....	680 mm
Ground Clearance.....	125 mm
Lean Angle (right/left).....	33.7°/33.9°
Wheelbase.....	1625 mm
Wheel Size Front.....	21-inch, 533 mm
Wheel Size Rear.....	18-inch, 457 mm
Fuel Capacity.....	22.7 L
Running Weight.....	401 kg
GVWR.....	617 kg

POWERTRAIN

Engine.....	Milwaukee-Eight® 117 engine
Displacement.....	1923 cc/117 cu. in.
Transmission.....	6-Speed Cruise Drive®
Torque (EC 134/2014).....	169 Nm@ 3500 RPM
Fuel Economy (City/Hwy).....	6.1 L/100 km (39 MPG)



CVO™ ROAD GLIDE®

FLTRXSE



CVO™ ROAD GLIDE® COLOUR OPTIONS

Most chrome and brighter finishes



Orange Lava and
Dark Alloy



Model shown in domestic configuration

Strong performance look
with blacked-out powertrain,
exhaust and front end



Black Earth and Vivid Black



Blacked out and very de-saturated
paint finish with minimal graphics



Gunship Gray



Model shown in domestic configuration

DIMENSIONS

Overall Length.....	2600 mm
Overall Width.....	1080 mm
Seat Height.....	760 mm
Ground Clearance.....	125 mm
Lean Angle (right/left).....	34.3°/33.4°
Wheelbase.....	1625 mm
Wheel Size Front.....	17-inch, 432 mm
Wheel Size Rear.....	16-inch, 406 mm
Fuel Capacity.....	22.7 L
Running Weight.....	428 kg
GVWR.....	617 kg

POWERTRAIN

Engine.....	Twin-Cooled™ Milwaukee-Eight® 117 engine
Displacement.....	1923 cc/117 cu. in.
Transmission.....	6-Speed Cruise Drive®
Torque (EC 134/2014).....	167 Nm @ 3500 RPM
Fuel Economy (City/Hwy)...	6.3 L/100 km (37 MPG)



CVO™ LIMITED
FLHTKSE



CVO™ LIMITED COLOUR OPTIONS

Most chrome and brighter finishes



Burgundy Cherry Sunglo and
Molten Red Sunglo



Strong performance look
with blacked-out powertrain,
exhaust and front end



Black Earth and
Nebula Silver



Model shown in domestic configuration

Blacked out and very de-saturated
paint finish with minimal graphics



Odyssey Blue with
Anniversary Graphics



Model shown in domestic configuration

DIMENSIONS

Overall Length.....	2600 mm
Overall Width.....	1080 mm
Seat Height.....	760 mm
Ground Clearance.....	125 mm
Lean Angle (right/left).....	34.3°/33.4°
Wheelbase.....	1625 mm
Wheel Size Front.....	17-inch, 432 mm
Wheel Size Rear.....	16-inch, 406 mm
Fuel Capacity.....	22.7 L
Running Weight.....	428 kg
GVWR.....	617 kg

POWERTRAIN


Engine.....	Twin-Cooled™
	Milwaukee-Eight® 117 engine
Displacement.....	1923 cc/117 cu. in.
Transmission.....	6-Speed Cruise Drive®
Torque (EC 134/2014).....	167 Nm @ 3500 RPM
Fuel Economy (City/Hwy)...	6.3 L/100 km (37 MPG)



115TH ANNIVERSARY CVO™ LIMITED

FLHTKSE ANV







©2017 H-D or its Affiliates. The Bar and Shield is among the trademarks of H-D U.S.A., LLC. P/N 94500196
All product descriptions are based on available information at time of publication.